

КРИМПЕРЫ-СТРИППЕРЫ (ОБЖИМКА-ЗАЧИСТКА)



8PK-033
OAL: 200mm



8PK-313A/B
OAL: 235mm

Model No.	Material	Hardness	Application			Individual packing
			Strip	Bolt cutter	Crimp	
8PK-033	SAE1008	HV 450-800	0.75, 1.0, 1.5, 2.5, 4.0, 6.0mm	M2.6, M3, M3.5, M4, M5	1.5, 2.5, 6mm ²	Blister card
8PK-313A (Inch)	SAE1008	HV 450-800	AWG: 10, 12, 14, 16, 18, 20-22	4-40, 6-32, 10-24, 10-32	Insulation: 16-14, 12-10 Non-insulation: 22-18, 16-14, 12-10 AWG	Blister card
8PK-313B (Metric)	SAE1008	HV 450-800	mm ² : 6.0, 4.0, 2.5, 1.5, 1.0, 0.75	M3, M3.5, M4, M5	Insulation: 1.5, 2.5, 6mm ² Non-insulation: 1.5, 2.5, 4-6mm ²	Blister card

Зачистка/обжимка **8PK-033** (диаметр 0.75, 1.0, 1.5, 2.5, 4.0, 6.0 мм)

CP-372 Series



Клещи пустые **CP-372** без вставок

	Completed set with die	Replacement die set	Description & application	Following models are available
	1PK-3003F		Supercrimp crimp tool frame (Frame only without die)	
	1PK-3003FD11	1PK-3003D11	RJ-45, eight-position keyed or non-keyed modular plugs (excluding AMP)	

Вставка в клещи

1PK-3003D11



для обжима контактов RG-45, 8-контактные

	Completed set with die	Replacement die set	Description & application	Following models are available
	1PK-3003F		Supercrimp crimp tool frame (Frame only without die)	
	1PK-3003FD12	1PK-3003D12	RJ-11 two, four and six-position modular plugs	

Вставка в клещи

1PK-3003D12

для обжима контактов RG-11, 2-х, 4-х и 6-контактные



Вставка в клещи **CP-236DC** для обжима блокировочных и неизолированных контактов AWG 20-18/16-14/12-10

Вставка в клещи **CP-236DE** для обжима изоляции на металлический наконечник, для провода 0,5-4,0 мм



• For female & male D-SUB miniature contacts.

OAL: 240mm



Material	HRC	Handle	Application	Individual packing
AISI1050 DIE: AISI4140	45±3	PP	AWG: 24-30, 18-22 MM ² : 0.9-0.35	Blister card

Клещи 608-384N

для обжима контактов под разъемы типа PVG, MWT, BLS, HU (провод AWG 24-30, 18-22)

A selection of adjustable locking plier manufactured from SNCM drop forged alloy steel, which has been heat treated for extra strength and durability. The jaws are fully polished and are serrated for extra grip. The plier are available in 3 different sizes. All models have curved jaws, knurled tips and wire cutter.



Model No.	Material	Individual packing
8PK-378A		
8PK-378B	CR-V steel	Double blister
8PK-378C		

Клещи разводные **8PK-378A** длина 150 мм

Клещи разводные **8PK-378C** длина 200 мм



Клещи **808-376B** для обжима телефонных контактов 6P6C/6P4C/6P2C



Клещи **6PK-214** для обжима разъемов на шлейф




- Channel-joint allows wider variety of size accommodation
- Insulated handles for comfort

Model No.	Material	HRC	Jaw open (Max)	Individual packing
PN-P008	S45C	45±3	30mm	Hanger
PN-P010N	S45C	45±3	42mm	
PN-P012	S45C	45±3	51mm	

Клеши переставные **PN-P008** длина 204 мм, макс. захват 30 мм

Клеши переставные **PN-P010N** общая длина 254 мм, максимальное раскрытие граней 42 мм, с изоляцией на ручках вес 420 гр.

Клеши переставные **PN-P012** длина 317 мм, макс. захват 51 мм



Клеши **CP-373** для обжима 4-6-8 полярных контактов (RJ45, RJ22, RJ11, RJ12)



10C10P/
6P4C/RJ-11



Round cable
stripper

Клеши **CP-200R (8PK-200R)** профессиональные для обжима телефонных контактов RG45/12/11



Клеши **8PK-376FN** для обжима 4-6-8 полярных контактов (RJ45, RJ22, RJ11, RJ12)



Клеши **8PK-CT005** для обжима металлических наконечников на провод 0,25/0,34/0,5/0,75/1,0/1,5/2,5 мм в комплекте с наконечниками



Model No.	Material	Die	Application	Individual packing
8PK-CT015	Frame S45C	SK-5	AWG: 12-10, 8, 6 JIS mm ² : 1,25, 2,0, 5,5, 8,0 DIN mm ² : 1,5, 2,5, 6, 10	Blister card
8PK-CT016			AWG: 12-10, 8, 6, 4 JIS mm ² : 5,5, 8,0, 14, 22 DIN mm ² : 4-6, 10, 16, 25	

Клеши **8PK-CT015** для обжима неизолир. контактов для провода 1.25-10 мм²

Клеши **8PK-CT016** для обжима неизолир. контактов для провода 4-25 мм²



Клещи **6PK-230C** для обжима ножевых автомоб. и неизолированных контактов

Клещи **6PK-230PA** для обжима наконечников на коаксиальный кабель типа RG55/58/59/6/21/141/142/143/210/212/223/303/304/400/ для провода 6.48/5.4/2.5/1.72/8.22 мм

Клещи **6PK-301E** для обжима металлических наконечников для провода 0,5/0,75/1/1,5/2,5/4 мм²

Клещи **6PK-301H** для обжима изолированных контактов и клемм на провод AWG 10-12,14-16,18-20

Клещи **6PK-301N** для обжима неизолированных клемм на провод AWG 8,10-12,14-16,18-20)

Клещи **6PK-301S** для обжима металлических наконечников для провода 16/10/6 мм²


Клещи **6PK-301U** для обжима контактов на провод AWG 14-22

Клещи **8PK-376ER** для обжима контактов RJ45/8P, RJ11/6P


Model no.	Description	Application	OAL (mm)	Individual pack
6PK-230C	Inter-locking And Non-Insulated Terminal Crimping Tool	AWG: 10-12, 14-16, 18-20		
6PK-301N	Non-Insulated Terminal Crimping Tool	AWG: 8, 10-12, 14-16, 18-20 MM ² : 10, 6, 2.5, 1.5 (DIN) 8.5, 5.2, 1.25 (JIS)		
6PK-301H	Insulated Terminal Crimping Tool	AWG: 10-12, 14-16, 18-22 MM ² : 4-6, 1.5-2.5, 0.5-1.0 (DIN)		
6PK-301S	Pin Terminal Crimping Tool	AWG: 6, 8, 10 MM ² : 16, 10, 6 (DIN)		
6PK-301E	Pin Terminal Crimping Tool	AWG: 22, 20, 18, 16, 14, 12 MM ² : 0.5, 0.75, 1, 1.5, 2.5, 4 (DIN)		
6PK-301R	Vinyl Insulated Push On Terminal W/O Copper Sleeve Crimping Tool	AWG: 10-12, 14-16, 18-20 MM ² : 5.5, 2, 1.25 (JIS)	220	Blister card
6PK-301U	Non-Insulated Open Barrel Connectors & D-SUB V.35 Crimping Tool	AWG: 14-22		
6PK-230PA	Coax Connectors Crimping Tool	For crimping RG type cable		
		inch mm		
		.255 6.48	35, 58, 59, 5, 6, 21, 141, 142, 143, 210, 212, 222, 223, 303, 304, 400	
		.098 2.49	Belden: 8279, 8281, 9231 & 9141	
		.068 1.72		
6PK-301F1		.042", .068", .133", .162", .195" (oval type)		
6PK-301F2	Fiber Optic Crimping Tool	.042", .068", .151", .178", .213" (Hex)		
6PK-301J		.042", .068", .078", .128", .151", .178" (Hex) (1.07/1.72/1.98/3.25/3.84/4.52mm) RG174, 179, Belden 8218 fiber optic		
6PK-301A		256", .068", .213" (Hex) 6.50, 1.72, 5.41mm RG58, 59, 62		
6PK-301C	Coax Crimping Tool	256", .319", .068", .213" (Hex) 6.50, 8.10, 1.72, 5.41mm RG58, 59, 62, 6		



Model No.	Material	HRC	Handle	Application	Replacement blade model no.	Individual packing
808-376E	S45C			RJ-45/8P, RJ-11/6P		
CP-376E	St 12			RJ-45/8P, RJ-11/6P	508-376E-B (2 pcs/pack)	
8PK-376ER	S45C	HV555-650°	PP	RJ-45/8P, RJ-11/6P ratchet type		Blister card
080-376M	S45C			4P/8P/8P (RJ45, RJ22, RJ11, RJ12)	508-376ER-B (2 pcs/pack)	



OAL: 570mm



Клещи **8PK-CT120** для обжима неизолированных контактов для провода 10-95 мм²

Material	Application	Individual packing
Body: FCD45 Blade: SK5	AWG/MCM: #4, #2, #1/0, #2/0, #3/0, #4/0 JIS(mm ²): 8, 14, 22, 38, 60, 70, 80 DIN(mm ²): 10, 16, 25, 35, 50, 70, 95, 120	Inner box + Color label

For terminating cable lugs from 10mm²-95mm² with non-ratchet screw adjustment design for aluminum (8 AWG to 4/0) and copper (8 AWG to 250 MCM)



OAL: 670mm



Клещи **8PK-CT150** для обжима неизолированных контактов для провода 10-120 мм²

Material	Hardness	Application	Individual packing
Body: Aluminum alloy Cutter: SCM 4	Cutter: HRC 55 ^{±3} *	AWG/MCM: #4, #2, #1/0, #2/0, #3/0, #4/0 JIS(mm ²): 22, 38, 60, 80, 100, 120, 150 DIN(mm ²): 10, 16, 25, 35, 50, 70, 95, 120, 150	Inner box + Color label

* For terminating cable lugs from 10mm²-120mm² with non-ratchet screw adjustment design for aluminum (8 AWG to 4/0) and copper (8 AWG to 300MCM)
* This crimping tool no replacement cutter

OAL: 140





Unit: mm





Material	HRC	Application	Individual packing
SK7	50±3	Cutting Capacity: ø1.3/16AWG Wire Stripper: ø0.4/26AWG	Blister card

Зачистка / обрезка проводов **8PK-208D**
(обрезка для провода 1.4 мм²/зачистка для провода 0.4 мм²)





Unit: mm

Model No.	Material	HRC	Application		Individual packing
			AWG	MM	
1PK-3001E	SK7	50±3	30, 28, 26, 24, 22, 20	0.2, 0.3, 0.4, 0.5, 0.6, 0.8	Blister card
1PK-3002E			20, 18, 16, 14, 12, 10	0.8, 1.0, 1.3, 1.6, 2.0, 2.6	

Зачистка изоляции **1PK-3001-E**
(диаметр 0.2.:3.:4.:5.:6.:8 мм)
Зачистка изоляции **1PK-3002-E**
(диаметр 0.8.:0.:3.:6.:0.:6 мм)



Зачистка **8PK-326** для оптоволоконного кабеля



Individual packing
Blister card

A simple tool for UTP/STP cable. Just stripping 3 circles to extract the jacket of cable. Also a function for 110 punch down tool.

Зачистка **8PK-CT001** для телефонного или сетевого кабеля



OAL: 178mm

Зачистка **SP-370** для провода до 3.9 мм, общая длина 178 мм, вес 210 гр.



Зачистка изоляции **808-080(CP-080E)** для шлейфа, провода 0.2-4 мм2



OAL: 170mm


Economic Type

Model No.	Material	Hardness	Application Strip wire size	Individual packing
8PK-3161			AWG: 18, 16, 14, 12, 10 mm ² : 0.9, 1.25, 2.0, 3.5, 5.5	
8PK-3162	Low Carbon steel	HR30N 55-65	AWG: 28-24, 22, 20, 18, 16 mm ² : 0.2, 0.35, 0.5, 0.9, 1.25	Blister card
8PK-3163			AWG: 30, 28, 26, 24, 22 mm ² : 0.25, 0.32, 0.4, 0.6, 0.65	

Зачистка изоляции **8PK-3161**
диаметр 0.9;1.25;2.0;3.5;5.5 мм
Зачистка изоляции **8PK-3162**
диаметр 0.2;0.35;0.5;0.9;1.25 мм
Зачистка изоляции **8PK-3163**
диаметр 0.25;0.32;0.4;0.6;0.65 мм




Зачистка изоляции **8PK-371** для кабеля 0.13-6.00 мм2; обжимка для изолированных / неизолированных контактов на провод 1.5-6.00 мм2



Pliers nose
Wire stripper
Wire cutter
Bolt cutter and rethreader
Crimp insulated and non-insulated terminals
Cushioned handles



Зачистка изоляции **8PK-CT009** многофункциональная, (0.6;.8;.0.3;.6;.0.6мм)



Pliers nose
Wire stripper
Wire cutter
Bolt cutter and rethreader
Crimp insulated and non-insulated terminals
Cushioned handles

Зачистка изоляции **8PK-CT009A** многофункциональная, (10;2;4;6;8 AWG)



Зачистка изоляции **8PK-371D** для любого провода 0.2-6.0 мм², обжимка для изолированных/неизолированных контактов на провод 1.5-6.00 мм²

Economic Type



CP-369AE
0.5, 1.2, 1.6, 2.0mm



CP-369BE
1.0, 1.6, 2.0, 2.6, 3.2mm



CP-369CE
22, 18-20, 14-16, 12, 10, 8 (AWG)

• Hardness: Blade: HV450-800
• OAL: 170mm

Model No.	Material	Application strip wire size	Individual packing
CP-369AE	Body: Zinc alloy Blade: S45C	0.5, 1.2, 1.6, 2.0mm	Blister card
CP-369BE		1.0, 1.6, 2.0, 2.6, 3.2mm	
CP-369CE		22, 18-20, 14-16, 12, 10, 8 (AWG) for solid wire	

Зачистка изоляции **CP-369AE (608-369A)** (диаметр 0.5:2:6:0 мм)

Зачистка изоляции **CP-369BE (608-369B)** диаметр 1.0:6:0:6:2 мм



Cut cloth, carpet, linoleum, leather, cardboard tin plate, branches, foam rubber and more. Stainless steel spring and blades resist rust and corrosion. Positive safety latch. 2 models are available.

Individual packing
Blister card

Ножницы **8PK-SR007**
универсальные-секатор 200мм
Ножницы **SR-330**
универсальные-секатор 165мм



Used for removing the outer sheath (PVC & Plenum types) from unshielded rotating the stripper on clock-wise by 3-6 times, provided you safety and efficiency. (Recommended the RG cable size)

Model No.	Application	OAL (mm)	Stripper Distance
○ 6PK-332	RG-58/59/62/6/3C2V/4C/5C	98.5	2Blade Model 46/6/12 mm
● CP-332			
○ 6PK-332A	RG-58/62/6/4C/5C	105	3Blade Model 8 4 mm
○ 6PK-312B	RG-58/59/62/3C/4C		
● CP-312B		80	
○ 6PK-312S	For big cable O.D. around 10.5mm Such as RG213	105	

Individual packing
Blister card

Обрезка кабеля **6PK-332**
RG-58/59/62/6/3C2V/4C/5C

OAL: 235



Picture for reference only. Please check with distributor for exact offers. All specifications are subject to change without notice.



Cuts up to 38mm² aluminum and copper cables

Material	HRC	Handle	Application		Individual packing
			Copper cable	Aluminum cable	
S45C	45° Cutting edge: 60°±5°	PVC	16mm ² solid 35mm ² stranded 70mm ² flexible	70mm ² stranded	Blister card

Обрезка кабеля **8PK-A201A**
для кабеля до 70 мм²

OAL: 210 mm



Picture for reference only. Please check with distributor for exact offers. All specifications are subject to change without notice.



Material	HRC	Handle	Application		Individual packing
			Copper cable	Aluminum cable	
SCM 440	45° Cutting edge: 60°±5°	PVC	38mm ² flexible	38mm ² stranded	Blister card

Обрезка кабеля **8PK-A203**
обрезка для кабеля до 38 мм²

Application: Thick wire up to 2/0 (70mm²) cable, 100 pair group telephone cable RG-174/RG-9 coax size
OAL: 215mm



Picture for reference only. Please check with distributor for exact offers. All specifications are subject to change without notice.



Material	HRC	Handle	Individual packing
S45C	45±3	PVC	Blister card

Обрезка кабеля **808-330A**
RG-174/RG-9